

Honeywell Commercial Buildings
Potential Points on the LEED 2009 Existing Buildings: Operations & Maintenance Scorecard



| Category | Credit | Credit Description | Max. Points | Building Automation | | | | | | | Commercial Components | | | | | | | Commercial Combustion | | | | | | |
|-------------------------------------|------------|--|-------------|--------------------------|------------------|-----------|---------------------|--------------------|-------------------|---------|-------------------------------------|------|---------------------------|-------------|------------------|-----------|--------------------------|------------------------|---------------------------------|----------------|------------------------------------|---------------|----------------------|----------------------------|
| | | | | WEBS-AX Energy Analytics | WEBS-AX Security | WebVision | WEBS-AX Controllers | Spyder Controllers | Excel Controllers | WebStat | Commercial Thermostats ¹ | VFDs | Wall Modules (FR23 & Zio) | CO2 Sensors | Humidity Sensors | Submeters | Automatic Control Valves | Proportional Actuators | Economizers & Economizers w/DCV | SOLA | Delphi Combustion Efficiency Panel | ControlLinks™ | Enhanced 7800 Series | PreMix Valves and Venturis |
| Energy & Atmosphere | Prereq 2 | Minimum Energy Efficiency Performance | Required | | | | | | | | • | • | | | | • | • | • | | | | | | |
| | Credit 1 | Optimize Energy Efficiency Performance | 1 to 18 | | | | | | | | | • | | | | • | • | • | • | • ² | • | • | • | • |
| | Credit 2.1 | Existing Building Commissioning - Investigation and Analysis | 2 | • | | • | • | • | • | • | | • | | | | • | | | | | | | | |
| | Credit 2.2 | Existing Building Commissioning - Implementation | 2 | | | • | • | • | • | • | | • | | | | • | | | | | | | | |
| | Credit 2.3 | Existing Building Commissioning - Ongoing Commissioning | 2 | | | • | • | • | • | • | | • | | | | • | | | | | | | | |
| | Credit 3.1 | Performance Measurement - Building Automation System | 1 | • | | • | • | • | • | • | • | • | • | | | • | | | | | | | | |
| | Credit 3.2 | Performance Measurement - System-Level Metering | 1 to 2 | • | | | • | • | | | | | • | | | • | | | | | | | | |
| | Credit 6 | Emissions Reduction Reporting | 1 | | | | | | • | • | | | | | | • | | | • | • ² | • | • | • | • |
| Indoor Environmental Quality | Prereq 1 | Minimum Indoor Air Quality Performance | Required | | | | | | | | • | | | | | | | • | | | | | | |
| | Credit 1.2 | Indoor Air Quality Best Management Practices - Outdoor Air Delivery Monitoring | 1 | | | • | • | • | • | | | | | • | | | | • | | | | | | |
| | Credit 1.3 | Indoor Air Quality Best Management Practices - Increased Ventilation | 1 | | | • | • | • | • | | | | | • | | | | • | | | | | | |
| | Credit 2.2 | Controllability of Systems - Lighting | 1 | | | | • | • | | | | | | | | | | | | | | | | |
| | Credit 2.3 | Occupant Comfort -Thermal Comfort Monitoring | 1 | | | • | • | • | • | • | • | • | • | • | • | | | • | | | | | | |
| Innovation in Design | Credit 1 | Innovation in Operations | 1 to 4 | • | | | | | | | | | | | | | | | | | | | | |

1. Credits vary with thermostat model.
2. When paired with PreMix burner technology

Honeywell Commercial Buildings
Potential Points on the LEED 2009 Schools New Construction and Major Renovations Scorecard



| Category | Credit | Credit Description | Max. Points | Building Automation | | | | | | Commercial Components | | | | | | | Commercial Combustion | | | | | | |
|-------------------------------------|-----------------|--|-------------|--------------------------|------------------|------------|---------------------|--------------------|-------------------|-----------------------|-------------------------------------|------|---------------------------|-------------|------------------|-----------|--------------------------|------------------------|----------------------------------|------|------------------------------------|---------------|----------------------|
| | | | | WEBS-Ax Energy Analytics | WEBS-Ax Security | Web/Vision | WEBS-Ax Controllers | Spyder Controllers | Excel Controllers | WebStat | Commercial Thermostats ¹ | VFDs | Wall Modules (TR23 & Z10) | CO2 Sensors | Humidity Sensors | Submeters | Automatic Control Valves | Proportional Actuators | Economizers & Economizers w/ DCV | SOLA | Delphi Combustion Efficiency Panel | ControlLinks™ | Enhanced 7800 Series |
| Energy & Atmosphere | Prereq 1 | Fundamental Commissioning of Building Energy Systems | Required | | | | | | | | | | | | | | | | | | | | |
| | Prereq 2 | Minimum Energy Performance | Required | | | | | | | | | | | | | | | | | | | | |
| | Credit 1 | Optimize Energy Performance | 1 to 19 | | | • | • | • | • | • | | | | | | | | • ² | • | • | • | • | |
| | Credit 2 | On-Site Renewable Energy | 1 to 7 | | | | | | | | | | | | | | | | | | | | |
| | Credit 3 | Enhanced Commissioning | 2 | | | | | | | | | | | | | | | | | | | | |
| | Credit 5 | Measurement and Verification | 2 | • | | • | • | • | | | | | | | | | | | | | | | |
| | Credit 6 | Green Power | 2 | | | | | | | | | | | | | | | | | | | | |
| Indoor Environmental Quality | Prereq 1 | Minimum Indoor Air Quality Performance | Required | | | | | | | | | | | | | | | | | | | | |
| | Credit 1 | Outdoor Air Delivery Monitoring | 1 | | | | | | | | | | | | | | | | | | | | |
| | Credit 2 | Increased Ventilation | 1 | | | | | | | | | | | | | | | | | | | | |
| | Credit 3.2 | Construction Indoor Air Quality Management Plan - Before Occupancy | 1 | | | | | | | | | | | | | | | | | | | | |
| | Credit 6.1 | Controllability of Systems - Lighting | 1 | | | | | | | | | | | | | | | | | | | | |
| | Credit 6.2 | Controllability of Systems - Thermal Comfort | 1 | | | | | | | | | | | | | | | | | | | | |
| | Credit 7.1 | Thermal Comfort - Design | 1 | | | | | | | | | | | | | | | | | | | | |
| | Credit 7.2 | Thermal Comfort - Verification | 1 | | | | | | | | | | | | | | | | | | | | |
| Credit 10 | Mold Prevention | 1 | | | | | | | | | | | | | | | | | | | | | |
| Innovation in Design | Credit 1 | Innovation in Design | 1 to 4 | | | | | | | | | | | | | | | | | | | | |

1. Credits vary with thermostat model.
 2. When paired with PreMix burner technology

